

2024

CATALOGO PRODOTTI

Sedie moderne
in legno



busetto




S 023



S 025



S 025 S



S 025 A



S 025 AF



S 030




S 030 S



P 026 S



S 035






S 035 Q



S 035 QF



S 035 F



S 035 A




S 035 M



S 035 SB



S 035 S



S 047



S 047 Q





S 047 A



S 048



S 049



S 049 Q




S 049 S



S 052



S 053



S 054



S 054 C





S 054 P

835 mm	520 mm	565 mm	21 kg	2 m



S 054 S

1085 mm	450 mm	520 mm	11.5 kg	1 m



S 054 SZ

1060 mm	485 mm	530 mm	12 kg	1 m



S 056

875 mm	475 mm	540 mm	12.5 kg	2 m



S 056 L

875 mm	475 mm	540 mm	11 kg	2 m



S 057

855 mm	460 mm	560 mm	13 kg	2 m



S 057 C

855 mm	460 mm	560 mm	13 kg	2 m



S 057 L

855 mm	460 mm	560 mm	12.5 kg	2 m



S 059

855 mm	480 mm	540 mm	15 kg	2 m




S 059 L



S 061



S 061 P



S 061 R



S 061 A



S 061 AP



S 061 Q



S 061 M



S 061 S





S 061 SA

1050 mm	550 mm	550 mm	10.6 kg	1 m



S 062

840 mm	480 mm	580 mm	14.5 kg	2 m



S 062 Q

840 mm	480 mm	580 mm	14.5 kg	2 m



S 062 S

1050 mm	540 mm	550 mm	9.7 kg	1 m



S 066

940 mm	500 mm	600 mm	20 kg	2 m



S 066 F

940 mm	500 mm	600 mm	20 kg	2 m



S 066 A

820 mm	565 mm	590 mm	10 kg	1 m



S 066 MS

800 mm	420 mm	545 mm	7.8 kg	1 m



S 066 SH

1100 mm	475 mm	520 mm	10.5 kg	1 m



S 066 P

940 mm	500 mm	600 mm	20 kg	2 m



S 085

890 mm	480 mm	580 mm	15.5 kg	2 m



S 085 A

890 mm	565 mm	550 mm	10.5 kg	1 m



S 085 ES

1125 mm	480 mm	520 mm	9.6 kg	1 m



S 086 E

890 mm	480 mm	580 mm	15.5 kg	2 m



S 087

785 mm	465 mm	480 mm	14.5 kg	2 m



S 087 R

785 mm	465 mm	480 mm	15 kg	2 m



S 089 AR

770 mm	480 mm	510 mm	13.3 kg	2 m



S 089 AL

770 mm	480 mm	510 mm	12.5 kg	2 m



S 089 Q



S 090 L




S 092




S 094 IM




S 094 IMA



S 098 Q



S 098 QA



S 101




S 102 S







S 103




S 103 A



S 103 P




S 103 PA




S 103 S



S 104 A



S 111



S 112 B



S 112 BA





S 114

855 mm	440 mm	530 mm	12.5 kg	2 m



S 114 IMQ

855 mm	440 mm	530 mm	0 kg	2 m



S 114 SQ

1090 mm	425 mm	460 mm	9.5 kg	1 m



S 120 L

900 mm	460 mm	520 mm	15 kg	2 m



S 175

900 mm	470 mm	560 mm	11 kg	2 m



S 175 Q

900 mm	470 mm	560 mm	13 kg	2 m



S 176

850 mm	570 mm	470 mm	12 kg	2 m



S 195

870 mm	460 mm	570 mm	17.5 kg	2 m



S 195 A

870 mm	600 mm	580 mm	11.5 kg	1 m



S 201 E

820 mm	460 mm	515 mm	13.3 kg	2 m



S 201 P

820 mm	460 mm	515 mm	14.5 kg	2 m



S 202

830 mm	500 mm	595 mm	16 kg	2 m



S 204

940 mm	450 mm	565 mm	13 kg	2 m



S 205

985 mm	460 mm	520 mm	14 kg	2 m



S 205 M

985 mm	460 mm	520 mm	16.5 kg	2 m



S 205 S

1070 mm	450 mm	520 mm	10 kg	1 m



S 213

940 mm	460 mm	570 mm	14 kg	2 m



S 215

940 mm	460 mm	570 mm	15 kg	2 m

